





AUS TILESTM

Acoustic & decorative ceiling tiles

Perforated. Slotted. Slat. Routed slot. Decorative. 3D.

Explore the collection.

Choose a range, then select your material and finish.



Perforated Tiles

TH-1 to TH-6


04



Slotted Tiles

TS-1 to TS-4

05



Slat Tiles

Designs 17-22

06-08



Routed Slot Tiles

RT01 to RT06


09-11



Decorative Tiles

Grooved & blank / non-acoustic


12-13



3D / Rib Designs

A to G

14-17



3D / Grid & Channel

HC C to HC F

18-19




MDF VENEER PLYWOOD

Materials & Finishes

MDF, melamine, veneer & plywood

20-22



Specification

Details for your project

23

Overview 03

Contact APA 24

Designed for your ceiling.

AUS Tiles provide a durable, modular drop-in ceiling solution, with a choice of materials, patterns and finishes to suit your space.



Flexible by design

Select from MDF, melamine-faced board, timber veneer and plywood. Explore perforated, slotted, slat, routed slot and 3D rib, grid and channel designs, plus non-acoustic grooved and blank tiles in the Decorative Ceiling Tiles range.

Made for interior spaces

Suitable for internal acoustic and decorative ceilings in offices, hallways, sporting venues, libraries and auditoriums.

Custom patterns, sizes and thicknesses can be discussed with our team.

BUILD YOUR SELECTION

01

Choose a design

Pages 04-19

02

Select a material

Pages 20-22

03


Confirm the details

Pages 22-23


Perforated tiles

Six pattern options, from regular arrays to varied hole sizes and spacing.

TH-1




ANGLED VIEW



FRONT VIEW

TH-2




ANGLED VIEW




FRONT VIEW

TH-3




ANGLED VIEW




FRONT VIEW

TH-4




ANGLED VIEW




FRONT VIEW

TH-5



ANGLED VIEW




FRONT VIEW

TH-6



ANGLED VIEW



FRONT VIEW

DIMENSIONS & OPTIONS

TILE SIZES

595 x 595 mm / 1195 x 595 mm

THICKNESSES

9, 12, 16 or 18 mm


Hole diameters listed: 5, 8, 12, 15, 20, 35, 50 and 100 mm. Confirm the diameter and spacing for your selected design with APA.

Slotted tiles


Four slot configurations for a clean, linear ceiling pattern.

TS-1

1 slot column



ANGLED VIEW




FRONT VIEW

TS-2

2 slot columns



ANGLED VIEW




FRONT VIEW

TS-3

3 slot columns




ANGLED VIEW




FRONT VIEW

TS-4

4 slot columns



ANGLED VIEW



FRONT VIEW

595 x 595 mm tiles shown

DIMENSIONS & OPTIONS

TILE SIZES	THICKNESSES	SLOT WIDTHS
595 x 595 mm	9, 12, 16 or 18 mm	6, 10, 12 or 18 mm
1195 x 595 mm		

Pattern illustrations are indicative. Confirm dimensions, material and backing before ordering.

Slat Tiles

Six slat patterns in square and rectangular tile formats.

Even Slat

17

595 x 595 mm



ANGLED VIEW



FRONT VIEW

1195 x 595 mm



ANGLED VIEW



FRONT VIEW


Wide Slat

18

595 x 595 mm




ANGLED VIEW



FRONT VIEW

1195 x 595 mm



ANGLED VIEW



FRONT VIEW

Pattern illustrations are indicative. Confirm dimensions, material and backing before ordering.

Slat Tiles

Six slat patterns in square and rectangular tile formats.


Twin Slat

19

595 x 595 mm




ANGLED VIEW




FRONT VIEW

1195 x 595 mm



ANGLED VIEW



FRONT VIEW

Triple Slat

20

595 x 595 mm



ANGLED VIEW




FRONT VIEW

1195 x 595 mm



ANGLED VIEW



FRONT VIEW

Pattern illustrations are indicative. Confirm dimensions, material and backing before ordering.

Slat Tiles

Six slat patterns in square and rectangular tile formats.


Wide and Narrow

21

595 x 595 mm



ANGLED VIEW



FRONT VIEW

1195 x 595 mm



ANGLED VIEW



FRONT VIEW


Three Widths

22

595 x 595 mm




ANGLED VIEW



FRONT VIEW

1195 x 595 mm



ANGLED VIEW



FRONT VIEW

Pattern illustrations are indicative. Confirm dimensions, material and backing before ordering.

Routed Slot Tiles

Six routed slot designs in square and rectangular tile formats.

RT01

595 x 595 mm



ANGLED VIEW

1195 x 595 mm



ANGLED VIEW

RT02

595 x 595 mm



ANGLED VIEW

1195 x 595 mm



ANGLED VIEW

Pattern illustrations are indicative. Confirm dimensions, material and backing before ordering.

Routed Slot Tiles

Six routed slot designs in square and rectangular tile formats.

RT03

595 x 595 mm



ANGLED VIEW


1195 x 595 mm



ANGLED VIEW

RT04

595 x 595 mm



ANGLED VIEW

1195 x 595 mm



ANGLED VIEW

Pattern illustrations are indicative. Confirm dimensions, material and backing before ordering.

Routed Slot Tiles

Six routed slot designs in square and rectangular tile formats.

RT05

595 x 595 mm



ANGLED VIEW

1195 x 595 mm



ANGLED VIEW

RT06

595 x 595 mm



ANGLED VIEW

1195 x 595 mm



ANGLED VIEW

Pattern illustrations are indicative. Confirm dimensions, material and backing before ordering.

Decorative Ceiling Tiles

Grooved and blank designs for decorative ceiling applications.


TILE SIZES: 595 x 595 mm / 1195 x 595 mm

Linear Groove

04



ANGLED VIEW / 1195 x 595 mm



FRONT VIEW / 1195 x 595 mm

Twin Groove

05



ANGLED VIEW / 1195 x 595 mm



FRONT VIEW / 1195 x 595 mm

Diagonal Groove

06




ANGLED VIEW / 1195 x 595 mm



FRONT VIEW / 1195 x 595 mm

Soft Wave

07



ANGLED VIEW / 1195 x 595 mm



FRONT VIEW / 1195 x 595 mm

Pattern illustrations are indicative. Confirm dimensions, material and finish before ordering.


Decorative Ceiling Tiles

Grooved and blank designs for decorative ceiling applications.


TILE SIZES: 595 x 595 mm / 1195 x 595 mm

Cross Groove

13



ANGLED VIEW / 1195 x 595 mm



FRONT VIEW / 1195 x 595 mm

Diamond Groove

14



ANGLED VIEW / 1195 x 595 mm



FRONT VIEW / 1195 x 595 mm

Slat Rhythm

08



ANGLED VIEW / 1195 x 595 mm



FRONT VIEW / 1195 x 595 mm

Blank Tiles



595 x 595 mm



1195 x 595 mm


Pattern illustrations are indicative. Confirm dimensions, material and finish before ordering.

3D Ceiling Tiles


Rib Designs

Seven rib profiles in square and rectangular tile formats.

Straight Rib


A**595 x 595 mm**

ANGLED VIEW

1195 x 595 mm

ANGLED VIEW

Shallow Arch

B**595 x 595 mm**

ANGLED VIEW

1195 x 595 mm

ANGLED VIEW

Pattern illustrations are indicative. Confirm dimensions, material and finish before ordering.

3D Ceiling Tiles


Rib Designs

Seven rib profiles in square and rectangular tile formats.

Angled Recess

C**595 x 595 mm**

ANGLED VIEW

1195 x 595 mm

ANGLED VIEW

Soft Crown

D**595 x 595 mm**

ANGLED VIEW

1195 x 595 mm

ANGLED VIEW

Pattern illustrations are indicative. Confirm dimensions, material and finish before ordering.

3D Ceiling Tiles

Rib Designs

Seven rib profiles in square and rectangular tile formats.

Shallow Peak

E

595 x 595 mm



ANGLED VIEW

1195 x 595 mm



ANGLED VIEW

Gentle Wave


F

595 x 595 mm



ANGLED VIEW

1195 x 595 mm



ANGLED VIEW

Pattern illustrations are indicative. Confirm dimensions, material and finish before ordering.

3D Ceiling Tiles

Rib Designs

Seven rib profiles in square and rectangular tile formats.

Tapered Rib

G**1195 x 595 mm**

ANGLED VIEW

595 x 595 mm

ANGLED VIEW


Pattern illustrations are indicative. Confirm dimensions, material and finish before ordering.

3D Ceiling Tiles


Grid & Channel Designs

Four open-cell designs in square and rectangular tile formats.

Medium Grid


HC C**595 x 595 mm**

ANGLED VIEW

1195 x 595 mm

ANGLED VIEW

Long Channels

HC D**595 x 595 mm**

ANGLED VIEW

1195 x 595 mm

ANGLED VIEW

Pattern illustrations are indicative. Confirm dimensions, material and finish before ordering.

3D Ceiling Tiles


Grid & Channel Designs

Four open-cell designs in square and rectangular tile formats.

Cross Channels


HC E

595 x 595 mm



ANGLED VIEW

1195 x 595 mm




ANGLED VIEW

Large Cells


HC F

595 x 595 mm



ANGLED VIEW

1195 x 595 mm



ANGLED VIEW

Pattern illustrations are indicative. Confirm dimensions, material and finish before ordering.

MDF & melamine

Choose a core and decorative surface to complement your ceiling design.



Colour-core MDF


Coloured board options.



Standard raw MDF

Raw board for finishing.

MELAMINE-FACED BOARD




White



Black Matt



Adriatic



Topiary



Notaio Walnut



Plantation Ash



Mercurio Grey



Natural Oak



Belgian Oak



Prime Oak




Artisan Oak



Maison Oak

MELAMINE / FR OPTIONS



White



White Oak



Smoky Oak



Light Oak



Rustic Oak



French Oak



Grey



Black



Cherry Wood



Bamboo



Birch



Walnut

FR options: confirm the selected board and required fire classification with APA. Colours are indicative; request a physical sample to confirm your selection.

Natural timber veneer

A selection of timber veneers, from pale tones to richer, darker grains.



American Cherry



American Oak



American Walnut



Tasmanian Oak



Western Red Cedar




Ironbark



Blackbutt



Blackwood



Hoop Pine



Rock Maple



Jarrah



Spotted Gum

Natural timber varies in grain and colour. Review a physical sample and confirm your preferred stain or clear finish before ordering.

Plywood & finishes

Choose the board, then confirm the surface finish for your selected material.



Birch



Hoop Pine



OSB



Formply



Poplar



Film-faced plywood

FINISHING OPTIONS

01

Polyurethane

A choice of colours and gloss levels.

02

Clear polish

A choice of gloss levels.

03

Stain

Confirm the preferred colour and tone.

Board and finish compatibility should be confirmed with APA. Sample images are indicative and may vary from the finished product.

Complete your specification.

Confirm the details below with our team when requesting a quote or placing an order.


01	Design	TH-1 to TH-6; TS-1 to TS-4; Slat Tiles 17-22; Routed Slot Tiles RT01-RT06; Decorative Ceiling Tiles 04-08, 13, 14 and Blank; 3D Rib Designs A-G; Grid & Channel Designs HC C-F.
02	Size & thickness	595 x 595 or 1195 x 595 mm. Perforated / slotted: 9, 12, 16 or 18 mm thick. Confirm thickness for other designs and overall depth for 3D tiles.
03	Material & finish	Specify the base material, colour or timber veneer, and any polyurethane, clear polish or stain.
04	Edge profile	Square or chamfered edge. Confirm the profile for the selected ceiling grid.
05	Acoustic backing	For acoustic designs, black backing fabric is standard; white is available for larger quantities. Discuss insulation requirements. Decorative Ceiling Tiles are non-acoustic.
06	Fire requirements	Discuss the required fire classification with APA and request the relevant test documentation for the selected product.

Custom options

Contact APA to discuss custom patterns, sizes and project-specific details.

FOR AN ACCURATE QUOTATION

Include your selected design code, dimensions, quantity, material, finish, ceiling grid details and required delivery date.



Contact our team.

Samples, product selection and project enquiries.

Acoustic Panels Australia Pty Ltd

sales@apacoustics.com.au

www.apacoustics.com.au

VICTORIA / MELBOURNE

16 Hanrahan Street
Thomastown
VIC 3074

03 9465 2667

@acousticpanelsaustralia

WESTERN AUSTRALIA / PERTH

Level 28, AMP Tower
140 St Georges Terrace
Perth WA 6000

08 9278 2487