APA ACOUSTIC PANELS AUSTRALIA

AUSTRALIAN MADE

Declare

PRODUCT CATALOGUE



Interior concept render

Quattro Zone

Shape space. Create calm.

Desk dividers / Wall panels / Ceiling features

EXPLORE THE COLLECTION

Contents

Desk dividers, wall shapes and dimensional ceiling features.

01 **Desk dividers** 03-09
D01-D06 / R01-R08
Shaped edges and distinctive surface patterns.

02 **Wall panels** 10-12
W01-W06
Six shapes for colour and texture on the wall.

03 **Slide-on desk screens** 13-17
SD01-SD09
Nine profiles with an integrated bench return.

04 **Ceiling features** 18-23
Z1-Z5 / Z30 / CW00-CW04
Interlocking panels form sculpted ceiling grids.

05 **Wraparound desk screens** 24-25
A01-A06
Plain, soft shoulder and organic L and U forms.

Colour range & contact 26
31 PET colours. Standard and Maison ranges.

SECTION 01

D01-D06 / R01-R08

Shaped profiles

Sculpted upper edges with flowing face grooves.

SIZES (L × MAX H)	PANEL THICKNESS
1190 × 390 / 1400 × 390 mm	12 mm / 24 mm PET

D01 Soft Shoulder



A soft drop from a raised shoulder, traced by two flowing grooves.

D02 Broad Crown



A broad crown with four sweeping grooves following the upper profile.

Front face shown. Digital colours are indicative; confirm with a physical sample.

SECTION 01

D01-D06 / R01-R08

Shaped profiles

Sculpted upper edges with flowing face grooves.

SIZES (L × MAX H)	PANEL THICKNESS
1190 × 390 / 1400 × 390 mm	12 mm / 24 mm PET

D03 Twin Crest



Twin crests and a central dip, traced by three curved grooves.

D04 Gentle Saddle



A shallow saddle profile with four evenly spaced curves.

Front face shown. Digital colours are indicative; confirm with a physical sample.

SECTION 01

D01-D06 / R01-R08

Shaped profiles

Sculpted upper edges with flowing face grooves.

SIZES (L × MAX H)	PANEL THICKNESS
1190 × 390 / 1400 × 390 mm	12 mm / 24 mm PET

D05 Rounded Step



A rounded rise with three parallel grooves.

D06 Three Terraces



Three descending terraces connected by softened transitions.

Front face shown. Digital colours are indicative; confirm with a physical sample.

SECTION 01

D01-D06 / R01-R08

Patterned profiles

A simple panel shape. Eight distinctive surface patterns.


SIZE (L × H)	PANEL THICKNESS
1200 × 390 mm	12 mm / 24 mm PET

R01 Tideline



Flowing parallel lines bring gentle movement across the face.

R02 Offset Arch



Opposing rounded arches create an offset pattern.

Front face shown. Digital colours are indicative; confirm with a physical sample.

SECTION 01


D01-D06 / R01-R08

Patterned profiles

A simple panel shape. Eight distinctive surface patterns.

SIZE (L × H)	PANEL THICKNESS
1200 × 390 mm	12 mm / 24 mm PET

R03 Split Chevron



Mirrored chevrons frame a clean vertical centre.

R04 Orbit



Sweeping concentric arcs extend from opposing corners.

Front face shown. Digital colours are indicative; confirm with a physical sample.

SECTION 01


D01-D06 / R01-R08

Patterned profiles

A simple panel shape. Eight distinctive surface patterns.


SIZE (L × H)	PANEL THICKNESS
1200 × 390 mm	12 mm / 24 mm PET

R05 Rhythm



Vertical grooves rise and fall in an alternating rhythm.

R06 Rounded Cells



Irregular rounded cells form a soft geometric pattern.

Front face shown. Digital colours are indicative; confirm with a physical sample.

SECTION 01


D01-D06 / R01-R08

Patterned profiles

A simple panel shape. Eight distinctive surface patterns.


SIZE (L × H)	PANEL THICKNESS
1200 × 390 mm	12 mm / 24 mm PET

R07 Terrace



Stepped lines flow across the panel with rounded transitions.

R08 Contour



Nested organic contours create a flowing focal point.

Front face shown. Digital colours are indicative; confirm with a physical sample.

SECTION 02

W01-W06

Wall shapes

Simple forms. Soft texture. Colour for your space.

PANEL THICKNESS	SURFACE
12 mm / 24 mm PET	Plain felt finish

W01 Circle



A simple circular form with a soft felt texture. Use alone or repeat in a wall composition.

SUGGESTED SIZE (W × H)

600 × 600 mm

COLOUR SHOWN

Sand

W02 Square



A balanced square with gently rounded corners and a clean, plain face.

SUGGESTED SIZE (W × H)

600 × 600 mm

COLOUR SHOWN

Ocean Blue

Illustrative product images. Suggested sizes; final dimensions confirmed with your order.
Digital colours are indicative. Confirm colour and texture with a physical sample.

SECTION 02

W01-W06

Wall shapes

Simple forms. Soft texture. Colour for your space.

PANEL THICKNESS	SURFACE
12 mm / 24 mm PET	Plain felt finish

W03 Rounded Rectangle



An elongated horizontal shape with softly rounded corners for a calm wall feature.

SUGGESTED SIZE (W × H)

1200 × 650 mm

COLOUR SHOWN

Sage

W04 Arch



A rounded crown above short, straight sides and a flat base.

SUGGESTED SIZE (W × H)

600 × 500 mm

COLOUR SHOWN

Rust

Illustrative product images. Suggested sizes; final dimensions confirmed with your order.
Digital colours are indicative. Confirm colour and texture with a physical sample.

SECTION 02

W01-W06

Wall shapes

Simple forms. Soft texture. Colour for your space.

PANEL THICKNESS	SURFACE
12 mm / 24 mm PET	Plain felt finish

W05 Organic



A softly irregular pebble shape with an angled silhouette and flowing edges.

SUGGESTED SIZE (W × H)

900 × 600 mm

COLOUR SHOWN

Ash Grey

W06 Half Moon



A broad curved dome with a flat base, creating a simple sculptural accent.

SUGGESTED SIZE (W × H)

900 × 500 mm

COLOUR SHOWN

Sand

Illustrative product images. Suggested sizes; final dimensions confirmed with your order.
Digital colours are indicative. Confirm colour and texture with a physical sample.

SECTION 03


SD01-SD09

Slide-on desk screens

Nine shapes with an integrated return beneath the benchtop.

MAXIMUM OVERALL (L × H)	PANEL THICKNESS	BENCHTOP OPTIONS
795 × 580 mm	24 mm PET	25 mm / 32 mm

SD01 Rounded



A straight top with rounded corners creates a simple, familiar screen profile.


MAXIMUM OVERALL (L × H)

795 × 580 mm

COLOUR SHOWN

Sage

SD02 Soft Wave



An asymmetric wave rises and falls across the upper edge.

MAXIMUM OVERALL (L × H)

795 × 580 mm

COLOUR SHOWN

Ocean

Overall height includes the lower hook. Nominal bench-slot fit requires a sample check.

Front-view product images. Digital colours are indicative; confirm with a physical sample.

SECTION 03 SD01-SD09

Slide-on desk screens

Nine shapes with an integrated return beneath the benchtop.

MAXIMUM OVERALL (L × H)	PANEL THICKNESS	BENCHTOP OPTIONS
795 × 580 mm	24 mm PET	25 mm / 32 mm

SD03 Soft Sweep



A gently rising curve creates a flowing silhouette with a rounded high end.

MAXIMUM OVERALL (L × H)

795 × 580 mm

COLOUR SHOWN

Sand

SD04 Straight



A level top and softly rounded outer corners suit a clean, linear workspace.

MAXIMUM OVERALL (L × H)

795 × 580 mm

COLOUR SHOWN

Sage

Overall height includes the lower hook. Nominal bench-slot fit requires a sample check.

Front-view product images. Digital colours are indicative; confirm with a physical sample.


SECTION 03 SD01-SD09

Slide-on desk screens

Nine shapes with an integrated return beneath the benchtop.

MAXIMUM OVERALL (L × H)	PANEL THICKNESS	BENCHTOP OPTIONS
795 × 580 mm	**24 mm PET**	**25 mm / 32 mm**

SD05 Angled



A sloping upper edge adds a clear directional line, softened at both ends.

MAXIMUM OVERALL (L × H)

795 × 580 mm

COLOUR SHOWN

Ocean

SD06 Stepped



Two upper levels meet through a rounded step for a distinctive profile.

MAXIMUM OVERALL (L × H)

795 × 580 mm

COLOUR SHOWN

Sand

Overall height includes the lower hook. Nominal bench-slot fit requires a sample check.

Front-view product images. Digital colours are indicative; confirm with a physical sample.

SECTION 03 SD01-SD09

Slide-on desk screens

Nine shapes with an integrated return beneath the benchtop.

MAXIMUM OVERALL (L × H)	PANEL THICKNESS	BENCHTOP OPTIONS
795 × 580 mm	24 mm PET	25 mm / 32 mm

SD07 Arch



A broad arch creates a raised centre with softly descending shoulders.


MAXIMUM OVERALL (L × H)

795 × 580 mm

COLOUR SHOWN

Sage

SD08 Valley



A gentle central dip sits between two raised, rounded ends.

MAXIMUM OVERALL (L × H)

795 × 580 mm

COLOUR SHOWN

Ocean

Overall height includes the lower hook. Nominal bench-slot fit requires a sample check.

Front-view product images. Digital colours are indicative; confirm with a physical sample.

SECTION 03 SD01-SD09

Slide-on desk screens

Nine shapes with an integrated return beneath the benchtop.

MAXIMUM OVERALL (L × H)	PANEL THICKNESS	BENCHTOP OPTIONS
795 × 580 mm	24 mm PET	25 mm / 32 mm

SD09 Soft Chamfer



A straight top meets angled shoulders with softened corner transitions.

MAXIMUM OVERALL (L × H)

795 × 580 mm

COLOUR SHOWN

Sand

Choose the bench fit

Two slot versions share the same overall screen size.

25 mm benchtop

Nominal opening: 25 mm

87 mm below bench underside

150 mm hook engagement

32 mm benchtop

Nominal opening: 32 mm

80 mm below bench underside

150 mm hook engagement

Maximum screen height above the benchtop: 468 mm.

Square bench notch and upper hook tip, with rounded lower corners.

Check the desk edge and underside clearance before ordering.

Overall height includes the lower hook. Nominal bench-slot fit requires a sample check.

Front-view product images. Digital colours are indicative; confirm with a physical sample.

SECTION 04


Z1-Z5 / Z30 / CW00-CW04

Ceiling features

Flat panels interlock to create dimensional ceiling forms.

CONSTRUCTION	APPLICATION
Flat-cut, interlocking PET panels	**Suspended ceiling features**

Z1 Rounded Grid



An open cross-grid with rounded fin ends and a clean, regular rhythm.

PLAN SIZE


1190 × 1190 mm

MATERIAL THICKNESS

12 mm or 24 mm PET

Shown in Rust / 24 mm PET

Z2 Wave Grid



Flowing edge profiles bring a gentle wave to a straight interlocking grid.

PLAN SIZE

1190 × 1190 mm

MATERIAL THICKNESS

12 mm or 24 mm PET

Shown in Sage / 24 mm PET

Illustrative renders. Final dimensions and suspension details are confirmed for each project.
Digital colours are indicative; confirm with a physical sample.

SECTION 04


Z1-Z5 / Z30 / CW00-CW04

Ceiling features

Flat panels interlock to create dimensional ceiling forms.

CONSTRUCTION	APPLICATION
Flat-cut, interlocking PET panels	**Suspended ceiling features**

Z3 Rounded Wave Grid



Rounded ends and shaped lower edges create a softly layered ceiling feature.

PLAN SIZE


1190 × 1190 mm

MATERIAL THICKNESS

12 mm or 24 mm PET

Shown in Ocean Blue / 24 mm PET

Z4 Square Wave Grid



Straight end profiles give the wave grid a crisp, architectural character.

PLAN SIZE

1190 × 1190 mm

MATERIAL THICKNESS

12 mm or 24 mm PET

Shown in Ash Grey / 24 mm PET

Illustrative renders. Final dimensions and suspension details are confirmed for each project.
Digital colours are indicative; confirm with a physical sample.

SECTION 04


Z1-Z5 / Z30 / CW00-CW04

Ceiling features

Flat panels interlock to create dimensional ceiling forms.

CONSTRUCTION	APPLICATION
Flat-cut, interlocking PET panels	**Suspended ceiling features**

Z5 Organic Grid



Broad curves and fewer fins form an open grid with a softer silhouette.

PLAN SIZE


1190 × 1190 mm

MATERIAL THICKNESS

12 mm or 24 mm PET

Shown in Sand / 24 mm PET

Z30 Saddle Grid



A denser grid shapes the underside into a sculpted, centre-deep profile.

PLAN SIZE

1190 × 1190 mm

MATERIAL THICKNESS

12 mm or 24 mm PET

Shown in Sage

Illustrative renders. Final dimensions and suspension details are confirmed for each project.
Digital colours are indicative; confirm with a physical sample.

SECTION 04


Z1-Z5 / Z30 / CW00-CW04

Ceiling features

Flat panels interlock to create dimensional ceiling forms.

CONSTRUCTION	APPLICATION
Flat-cut, interlocking PET panels	**Suspended ceiling features**

CW00 Concave Wave Grid



A recessed centre rises within a deeper perimeter, creating a concave underside.


PLAN SIZE / MATERIAL

1190 × 1190 mm
12 mm PET

2700 × 2700 mm
12 mm or 24 mm PET

Shown in Warm Grey

CW01 Long Wave



One broad wave runs through the grid for a calm, continuous ceiling form.

PLAN SIZE / MATERIAL

1190 × 1190 mm
12 mm PET

2700 × 2700 mm
12 mm or 24 mm PET

Shown in Warm Grey

Illustrative renders. Final dimensions and suspension details are confirmed for each project.
Digital colours are indicative; confirm with a physical sample.

SECTION 04


Z1-Z5 / Z30 / CW00-CW04

Ceiling features

Flat panels interlock to create dimensional ceiling forms.

CONSTRUCTION	APPLICATION
Flat-cut, interlocking PET panels	**Suspended ceiling features**

CW02 Diagonal Swell



A smooth diagonal ridge introduces movement across the square module.


PLAN SIZE / MATERIAL

1190 × 1190 mm
12 mm PET

2700 × 2700 mm
12 mm or 24 mm PET

Shown in Warm Grey

CW03 Double Ripple



Two flowing crests create a rhythmic lower profile across the grid.

PLAN SIZE / MATERIAL

1190 × 1190 mm
12 mm PET

2700 × 2700 mm
12 mm or 24 mm PET

Shown in Warm Grey

Illustrative renders. Final dimensions and suspension details are confirmed for each project.
Digital colours are indicative; confirm with a physical sample.

SECTION 04


Z1-Z5 / Z30 / CW00-CW04

Ceiling features

Flat panels interlock to create dimensional ceiling forms.

CONSTRUCTION	APPLICATION
Flat-cut, interlocking PET panels	**Suspended ceiling features**

CW04 Saddle Wave



Opposing curves create a saddle-shaped underside within a straight grid.

PLAN SIZE / MATERIAL

1190 × 1190 mm
12 mm PET

2700 × 2700 mm
12 mm or 24 mm PET

Shown in Warm Grey

CW module options

Larger modules use wider cells to retain an open appearance.

PLAN SIZE	PET THICKNESS	NOMINAL DEPTH
1190 × 1190 mm	12 mm	150-300 mm
2700 × 2700 mm	12 mm	150-300 mm
2700 × 2700 mm	24 mm	300-450 mm

All CW designs use straight fins in both grid directions.

Shaped lower edges create the wave; the panels are not bent.

Illustrative renders. Final dimensions and suspension details are confirmed for each project.
Digital colours are indicative; confirm with a physical sample.

SECTION 05

A01-A03

Desk screens

Wraparound privacy in six forms.

NOMINAL SCREEN SIZE (W × D × H)	MATERIAL THICKNESS
1200 × 600 × 400 mm	**12 mm or 24 mm PET**



A01

Plain L

A clean rear panel and a single side return create a defined corner workspace.

Shown in Sage

Rear screen + left return



A02

Plain U

A straight rear panel with two side returns surrounds the workspace on three sides.

Shown in Dusty Blue

Rear screen + two returns



A03

Soft Shoulder L

A sweeping side profile with paired groove details softens the corner arrangement.

Shown in Sand

Rear screen + left return

Screen dimensions shown; timber desktops are for context. Confirm final fit and mounting details.

Digital colours are indicative; confirm with a physical sample.

SECTION 05

A04-A06

Desk screens

Wraparound privacy in six forms.

NOMINAL SCREEN SIZE (W × D × H)	MATERIAL THICKNESS
1200 × 600 × 400 mm	**12 mm or 24 mm PET**



A04

Soft Shoulder U

Matching curved side returns and paired grooves frame a calm, enclosed workspace.

Shown in Terracotta

Rear screen + two returns



A05

Organic Contour L

Three flowing rear contours and a gentle crown add movement to the L-shaped screen.

Shown in Sage

Rear screen + left return



A06

Organic Contour U

A crowned rear panel with flowing contours combines with two softly shaped returns.

Shown in Dusty Blue

Rear screen + two returns

Screen dimensions shown; timber desktops are for context. Confirm final fit and mounting details.

Digital colours are indicative; confirm with a physical sample.

Find your colour

31 PET colours for your next space.

Standard colours



GW816 GW815 GW812 GW809 GW808 GW807 GW806



GW813 GW810 GW625 GW621 GW608 GW607

Maison Range



MD-03 MD-04 MD-05 MD-06 MD-07 MD-08



MD-09 MD-10 MD-11 MD-12 MD-13 MD-14



MD-15 MD-16 MD-17 MD-19 MD-20 MD-23

Digital colours are indicative. Request a physical sample to confirm colour and texture.

Contact our team

Acoustic Panels Australia Pty Ltd

sales@apacoustics.com.au

www.apacoustics.com.au

03 9465 2667

Samples, product selection and project support.

VICTORIA / MELBOURNE

16 Hanrahan Street
Thomastown VIC 3074

WESTERN AUSTRALIA / PERTH

Level 28, AMP Tower
140 St Georges Terrace, Perth WA 6000