



## AUS SLAT™

*innovative – creative – experienced*

sales@apacoustics.com.au  
03 9465 2667  
www.apacoustics.com.au





## AUS SLAT™

Aus Slat™ is a configuration of timber slats, mounted to a slotted durable Medium Density Fibreboard (MDF) backing panel with acoustic lining. Aus Slat™ can be used with our acoustic backing fabric or insulation of your choice, to assist in maximising noise reduction and improving the acoustic properties of your chosen area.



# FEATURES

- Extensive range of solid timber & veneer finishes
- Concealed fixings for a seamless look
- Custom sizes available
- Extensive range of panel sizes and thicknesses

## BENEFITS

- Improved acoustics of your chosen area
- Australian made product
- Available in a range of different styles, sizes and finishes
- Group 1 to Group 3 Fire rated to Australian Standard ISO 9705-2003

## APPLICATIONS

Suitable for a variety of applications such as:

- Internal acoustic walls
- Internal acoustic ceilings
- Decorative walls and ceilings in hallways, offices, sporting venues, libraries or auditoriums



“We want our clients to feel confident in the decisions they make.


We believe that by providing them with thorough information and involving them throughout the process, we achieve this goal”.

## Step 1: Select the backing board material

### A. MDF Colour Core



### B. Standard Raw



### C. Plywood



BIRCH




HOOP PINE



POPLAR


## Step 2: Acoustic Treatments




**BLACK ACOUSTIC  
ADHESIVE LINER**

## Step 3: Select the slat material


### A. Melamine Faced Board



WHITE



BLACK MATT



ADRIATIC



TOPIARY



NOTAIO WALNUT



PLANTATION ASH



MERCURIO GREY



NATURAL OAK



BELGIAN OAK



PRIME OAK




ARTISAN OAK



MAISON OAK

### FR Options



WHITE



WHITE OAK



SMOKY OAK



LIGHT OAK



RUSTIC OAK



FRENCH OAK



GREY



BLACK



CHERRY WOOD



BAMBOO



BIRCH



WALNUT


### B. MDF Colour Core




### C. Standard Raw




### D. Veneer



AMERICAN  
CHERRY




AMERICAN  
OAK



AMERICAN  
WALNUT



TASMANIAN  
OAK



WESTERN  
RED CEDAR




IRONBARK



BLACKBUTT




BLACKWOOD



HOOP PINE



ROCK MAPLE




JARRAH



SPOTTED GUM


## E. Plywood



BIRCH




HOOP PINE



OSB



FORMPLY



FILM FACED  
PLYWOOD

## F. Solid Timber



American Cherry



American Red Oak



American White Oak



Blackbutt



European Maple



European Oak



Ironbark Red



Jarrah




Tasmanian Oak



Victorian Ash




Walnut




Wenge

## Step 4: Select the design and dimensions


### Design Type




AST-1



AST-2




AST-3




AST-4



AST-5




AST-6



AST-7



AST-1, AST-2, AST-3, AST-6



AST-4, AST-5, AST-7

## Dimensions Available

Product Code	Open Area	Overall Thickness	Panel Size
AST - 1	7.5%	30mm	2400mm x 1200mm, 1800mm x 1200mm
AST - 2	16.0%	30mm	2400mm x 1200mm, 1800mm x 1200mm
AST - 3	28.0%	30mm	2400mm x 1200mm, 1800mm x 1200mm
AST - 4	52.0%	100mm	2400mm x 1200mm, 1800mm x 1200mm
AST - 5	42.0%	77mm	2400mm x 1200mm, 1800mm x 1200mm
AST - 6	7.0%	31mm	2400mm x 1200mm, 1800mm x 1200mm
AST - 7	46.0%	77mm	2400mm x 1200mm, 1800mm x 1200mm

## Step 5: Select the colour and finish

Aus Slat™ panels are available in a range of different finishes such as:

- Polyurethane (various gloss levels & colours)
- Clear polish (various gloss levels)
- Stain

## WHY CHOOSE ACOUSTIC PANELS AUSTRALIA

- **Range** – offering an extensive range of products, finishes and colours
- **Flexibility** – our designs are adaptable to multiple applications, and many can be easily removed for service access or relocation
- **Experience** – expert advice and professional support to offer you the best possible results
- **Customising** – our products can be quickly tailored to your specifications
- **Cost-effectiveness** – we can help you find a solution to suit your budget and design requirements

✉ sales@apacoustics.com.au

📍 **HQ:** 16 Hanrahan St Thomastown,  
Melbourne, VIC, 3074

☎ 03 9465 2667

📍 **Perth Office:** Level 28, AMP Tower,  
140 St Georges Terrace, Perth WA 6000

☎ 08 9278 2487

# CONTACT US

Acoustic Panels Australia Pty Ltd 

@acousticpanelsaustralia 