AUS TILES™

AUS TILES™

innovative – creative – experienced

sales@apacoustics.com.au
03 9465 2667
www.apacoustics.com.au

AUSTRALIAN MADE

AUS TILES™

Aus Tiles™ is a durable ceiling tile configured for ease of use and installation. Manufactured from a variety of materials including MDF, timber, veneer and plywood, it provides a straight drop-in solution to many types of ceiling grids.

Aus Tiles™ can be used with our acoustic backing fabric or insulation of your choice to assist in noise reduction and acoustic enhancement.
Aus Tiles™ is available in a variety of styles, such as slotted and perforated, as well as custom patterns.

- Modular panels for drop-in solutions
- Available in a variety of different finishes
- Extensive range of panel sizes and thickness
- Custom designs and sizes to suit your selected application

BENEFITS

- Improved acoustics of your chosen area
- Australian made product
- Group 1 to Group 3 Fire rated to Australian Standard ISO 9705-2003

APPLICATIONS

Suitable for a variety of applications such as:

- Internal acoustic ceilings
- Decorative ceilings in hallways, offices, sporting venues, libraries or auditoriums

VARIATIONS

AUS Tiles™ are available in many different variations:

- Square or Schamfer edge profile
- A range of panel sizes and thicknesses (see table)
- Acoustic backing fabric (standard black, white available for large quantities)
- Custom tile designs are available

Step 1: Choose your base material

A. MDF Colour Core

C. Melamine Faced Board

|					
WHITE	BLACK MATT	ADRIATIC	TOPIARY	NOTAIO WALNUT	PLANTATION ASH
MERCURIO GREY	NATURAL OAK	BELGIAN OAK	PRIME OAK	ARTISAN OAK	MAISON OAK

B. Standard Raw

FR Options

|					
WHITE	WHITE OAK	SMOKY OAK	LIGHT OAK	RUSTIC OAK	FRENCH OAK
GREY	BLACK	CHERRY WOOD	BAMBOO	BIRCH	WALNUT

D. Veneer

|					
AMERICAN CHERRY	AMERICAN OAK	AMERICAN WALNUT	TASMANIAN OAK	WESTERN RED CEDAR	IRONBARK
BLACKBUTT	BLACKWOOD	HOOP PINE	ROCK MAPLE	JARRAH	SPOTTED GUM

E. Plywood

|					
BIRCH	HOOP PINE	OSB	FORMPLY	POPLAR	FILM FACED PLYWOOD

Step 2: Select the design and dimensions

A. Aus Tiles - Perforated

DESIGN TYPE:

Dimensions Available

Length (L)	Width (w)	Thickness (T)	Hole Width (HW)
595mm	595mm	9mm, 12mm, 16mm, 18mm	5mm, 8mm, 100mm, 12mm, 15mm, 20mm, 35mm, 50mm, 100mm
1195mm	595mm	9mm, 12mm, 16mm, 18mm	5mm, 8mm, 100mm, 12mm, 15mm, 20mm, 35mm, 50mm, 100mm

B. Aus Tiles – Slotted

DESIGN TYPE:

Dimensions Available

| Length (L)	Width (w)	Thickness (T)	Slot Width (SW)
595mm	595mm	9mm, 12mm, 16mm, 18mm	6mm, 10mm, 12mm, 18mm
1195mm	595mm	9mm, 12mm, 16mm, 18mm	6mm, 10mm, 12mm, 18mm

## C. Aus Tiles™ Styles

DESIGN TYPE:

AT-11

AT-12

AT-13

AT-14

AT-15

AT-16

AT-17

AT-18

AT-19

AT-20 (Blank)

Dimensions Available

Product Code	Size
AT-11	1195mm x 595mm
AT-12	1195mm x 595mm
AT-13	1195mm x 595mm
AT-14	1195mm x 595mm
AT-15	1195mm x 595mm

Product Code	Size
AT-16	1195mm x 595mm
AT-17	1195mm x 595mm
AT-18	1195mm x 595mm
AT-19	1195mm x 595mm
AT-20	1195mm x 595mm

D. Aus Tiles™ Slat

Step 3: Select the colour and finish

Aus Tiles™ are available in a range of different finishes, such as:
- Polyurethane (various gloss levels & colours)
- Clear polish (various gloss levels)
- Stain

WHY CHOOSE ACOUSTIC PANELS AUSTRALIA

- **Range** – offering an extensive range of products, finishes and colours
- **Flexibility** – our designs are adaptable to multiple applications, and many can be easily removed for service access or relocation
- **Experience** – expert advice and professional support to offer you the best possible results
- **Customising** – our products can be quickly tailored to your specifications
- **Cost-effectiveness** – we can help you find a solution to suit your budget and design requirements

✉ sales@apacoustics.com.au

📍 **HQ:** 16 Hanrahan St Thomastown, Melbourne, VIC, 3074

📞 03 9465 2667

📍 **Perth Office:** Level 28, AMP Tower, 140 St Georges Terrace, Perth WA 6000

📞 08 9278 2487

CONTACT US

Acoustic Panels Australia Pty Ltd in

@acousticpanelsaustralia ⊙